

Lifeguard Rescue Reporting System Summary (2009-2013)

Site of Incident									
	Water Park				Site	Pool			
	2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
Current	0%	0%	7%	13%	Deep Water	32%	29%	61%	28%
Flume	0%	0%	2%	0%	Diving Area	12%	26%	23%	15%
Lazy River	18%	17%	7%	13%	Play Features	3%	3%	2%	10%
Play Feature	8%	3%	26%	0%	Shallow Water	46%	30%	30%	46%
Slide	18%	36%	33%	6%	Spa	0%	60%	1%	1%
Wave Pool	40%	19%	9%	0%	Therapy	1%	1%	1%	0%
Other	16%	25%	23%	75%	Wading Pool	3%	3%	7%	3%
					Other	3%	6%	2%	8%

Other Comments for Water Parks: Where was the victim located?

Diving Boards
 Zero Depth Entry
 Area outside of office (outside)
 On deck
 lane area near basketball goal
 zero entry
 zero entry
 3 ft of water
 A small frog shaped slide
 Zero depth
 Main pool
 Diving board
 Main pool
 Main pool
 Main pool
 Main pool
 Main pool
 Diving well
 Main pool
 Main pool
 Main pool
 Slip "N" Slide

Other Comments for Pools: Where was the victim located?

4 - 5 ft area
 4 - 5 ft area
 4.5 ft
 ancillary area - dry
 deck (2)
 Drop of from shallow to deep
 Drop off slide into shallow water
 end of slide
 kids sliding board/go down then can't touch bottom and can't swim
 lap pool (2) - 3 1/2 foot
 Locker Room
 Outside pool area. Front desk requested lifeguard assistance

Lifeguard Rescue Reporting System Summary (2009-2013)

Outside Therapy Pool
 slide catch pool (2)
 slide pool - shallow water
 Slides
 steps in shallow water
 swim lap area 6ft deep
 zero entry area
 below diving board
 entry steps
 4 foot
 Near stairs in shallow water
 Bottom of slide
 Slide
 Hot tube

Water Clarity								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
77%	74%	88%	69%	Excellent - clearly see the bottom	86%	88%	91%	56%
23%	23%	9%	19%	Good - see large objects on bottom	14%	11%	16%	43%
5%	0%	2%	6%	Fair - barely see large objects on bottom	0%	0%	0%	0%
0%	0%	0%	0%	Poor - cannot see the bottom	0%	0%	0%	1%
0%	0%	0%	0%	None - cannot see more than one foot below the surface	0%	0%	0%	0%
0%	3%	0%	6%	Other	0%	1%	0%	0%

Other Comments for Water Parks: Water Clarity

Outside not in pools
 On land

Other Comments for Pools: Water Clarity

NOT RELEVANT
 N/A Dry area
 n/a

Lifeguard Rescue Reporting System Summary (2009-2013)

Water Depth where the Victim was located (feet)

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	6%	0%	7%	Victim on land		2%	0%	0%
6%	3%	0%	0%	< 1	3%	1%	0%	4%
17%	9%	19%	14%	1 to 3	8%	6%	4%	8%
66%	62%	76%	50%	3.1 to 5	78%	35%	36%	51%
6%	15%	2%	14%	5.1 to 10	26%	31%	37%	12%
5%	6%	0%	14%	10.1 to 16.9	16%	23%	23%	25%
0%	0%	2%	0%	17 to 25	0%	1%	0%	0%
0%	0%	0%	0%	> 25	0%	0%	0%	0%

Attendance Level at the time of the Rescue

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
8%	9%	14%	7%	Light	22%	21%	20%	18%
74%	69%	74%	60%	Normal	60%	58%	61%	56%
18%	20%	12%	27%	Heavy	18%	21%	17%	24%
	3%	0%	7%	Other			1%	1%

Other Comments for Water Parks: Attendance Level

Swim Meet occurring in half of the facility
Swim lessons

Other Comments for Pools: Attendance Level

Swim Meet occurring
4 other people in the pool

How the Victim was Recognized

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
97%	83%	95%	88%	Sight	92%	92%	96%	95%
25%	11%	9%	38%	Sound	23%	25%	15%	43%
5%	8%	5%	13%	Informed by Victim	5%	6%	2%	6%
6%	0%	0%	6%	Informed by another Lifeguard	5%	3%	1%	3%
9%	14%	2%	19%	Informed by a Patron	8%	9%	5%	4%
17%	8%	5%	0%	Profiled High Risk Prior to Distress	18%	12%	3%	10%
0%	0%	0%	0%	Other	3%	2%	0%	1%

Lifeguard Rescue Reporting System Summary (2009-2013)

Other Comments for Pools: How the Victim was Recognized

patron notified front desk
 Saw parent run onto pool deck
 Walked in to my shift and noticed victim on bottom of pool
 Saw very young child hanging on wall alone just before he let go and went underwater
 Lifeguard at top of slide informed small child was coming down.
 lifeguard saw in scan child in 3.5 and unable to touch activated EAP climbed from chair and compact jump into pool with tube and help child back into kiddie area-child had gone under lifeline to follow bigger kids and mom was distracted by
 Another parent in the water child stayed with mom in shallow end.
 Lifeguards contacted by another facility staff member
 Alerted by swim coach to potential medical issue

Victim's Activity prior to the Rescue

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
22%	17%	14%	0%	Unknown	6%	5%	41%	28%
17%	19%	40%	7%	Wading	20%	16%	31%	11%
27%	14%	10%	53%	Swimming	42%	39%	49%	24%
13%	11%	5%	13%	Floating with Equipment	10%	6%	3%	18%
17%	8%	21%	13%	Feet First Entry/Jumping	22%	27%	10%	14%
2%	0%	0%	0%	Head First Entry/Diving	5%	7%	1%	1%
0%	0%	2%	0%	Receiving Instruction	6%	4%	1%	0%
3%	0%	0%	0%	Body Surfing	0%	0%	0%	1%
0%	0%	0%	0%	Surfing	0%	0%	0%	0%
0%	0%	0%	0%	Scuba Diving	0%	0%	0%	0%
0%	0%	2%	0%	Skin Diving	0%	0%	0%	0%
2%	0%	2%	7%	Beach or Deck Activity (not in the water)	5%	1%	0%	1%
0%	8%	7%	0%	Walking/Running (not in the water)	6%	4%	2%	5%
17%	31%	7%	13%	Other	9%	14%	8%	10%

Other Comments for Water Parks: Victim's Activity prior to the Rescue

playing/walking in water and went into an area over his head
 Riding down slide (11 entries)
 Crawling on deck
 Floating in tube
 Reaching and fell in
 Gator floating device

Other Comments for Pools: Victim's Activity prior to the Rescue

"bobbing" in the water
 senior exercise class
 walking in pool
 Hanging on counselor/counselor swam away
 Aerobics Class

Lifeguard Rescue Reporting System Summary (2009-2013)

Climbing down the high dive ladder--not waiting for lifeguard.
Coaching Swim Team
Playing on bottom step
zero entry pool kept walking until it was too deep
Multiple Victim Rescue - 2 adolescents
treading water
Learn-to-Swim level 1 class
Hanging on wall
Changing in Locker Room
In the shallow end waiting for swim instructor to finish working with another student
going down slide when smaller than height requirement
playing with other small children in kiddy area 1.25-2.5 feet separated by a lifeline from six lane pool.
Apparently had epileptic seizure and fell in water.
Playing basketball in pool when ball rolled into deeper end of pool and victim swam after it
standing
two sisters entered water at same time; one could not swim; one was weak swimmer at best
participating in water exercise
swim lessons
sitting on the side of the pool and fell in
walking in the water
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Using a water slide
Taking Swim Test to use deep end of pool
Taking a deep water test
Multiple person rescue. 2 small children holding onto head of older sibling submerged.
holding breath while swimming laps
With father in water
Parent Child Swim Lesson
exercising
Soaking in Spa
Entered water from 25ft waterslide
Attempting to pass swim test
Play on play structure
Diving off a starting block
exercising
scooting along the wall
Swimming with parent
Just Arriving
On side of pool
sitting on side of pool
pre swim test for school "crew" team
Had just been warned, He repeated the same action when hurt.
here to participate in a swim meet
short walk from chair or parking lot to pool

Lifeguard Rescue Reporting System Summary (2009-2013)

Rode his bike 20 miles to the pool
 hanging on to side & Dad
 swimming lessons
 Mother not paying attention
 Slide
 Slide
 Playing waterpolo
 Just arrived to take swim test
 Chilling in hot tub
 Holding onto wall

Type of Rescue Made								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
6%	3%	16%	6%	Reaching with equipment	11%	6%	5%	10%
3%	6%	5%	0%	Reaching without equipment	9%	8%	7%	6%
26%	25%	28%	6%	Wading Assist with equipment	13%	11%	15%	13%
15%	14%	28%	6%	Wading Assist without equipment	12%	10%	11%	13%
46%	36%	12%	63%	Swimming with equipment	44%	50%	60%	59%
2%	6%	9%	13%	Swimming without equipment	14%	8%	3%	1%
0%	0%	0%	0%	Throwing assist	1%	0%	1%	0%
0%	0%	0%	0%	Underwater Search conducted	0%	0%	0%	1%
0%	0%	0%	0%	Land Search conducted	0%	0%	0%	0%
2%	0%	0%	0%	Aircraft involved in search and/or rescue	0%	0%	0%	0%
0%	0%	0%	0%	Watercraft involved in search and/or rescue	0%	0%	0%	0%
6%	19%	5%	6%	Other	4%	8%	4%	3%

Other Comments for Water Parks: Type of Rescue Made

Spinal Hold (2)
 None
 Backboard (hit head on slide)
 In water, backboard needed
 LG responded when daughter came into the facility and said that her elderly mom had fell.
 Walking to the victim, calling EMS
 Child came to guard room
 Head-chin splint
 Emergency First Aid

Lifeguard Rescue Reporting System Summary (2009-2013)

Other Comments for Pools: Type of Rescue Made

Adapted rear-approach swimming rescue with tube to prevent further injury to dislocated shoulder
- supported torso stomach down with two hands
backboarded
CPR/AED
dove in - pulled him up
First Aid on land
instructor/lifeguard with person at the time in water
jumped in and grabbed
Just jumped in and grabbed him while wearing the tube. He was only a couple feet from the wall.
land spinal - laying down
lifeguard jumped in
No Rescue - Victim on land
None. Injured person made it to wall
none. victim on land
None. Victim on Land
one guard with equipment ; one without
on-land spinal support
Parent Carried Infant out of Water before lifeguard or swim instructor could respond.
Patron assisted victim to side
Patron grabbed victim and handed to LG
pulled out of water by husband before guards got to her
pulled up off bottom with rescue equipment
spinal
spinal
spinal
spinal
spinal
Swimmer hit head on pool bottom, swimmer surfaced with a bloody head at side of pool, guard got
out of stand, swimmer climbed out of pool at the same time
Victim got self out of pool
Was shallow for me so did not bother to grab tube
Victim was able to remove themselves from the water and sit on bench
Head, Neck or Spinal Injury Management on Land
patron lifted unconscious body onto pool deck
Jumped in, no tube necessary
double rescue - friend attempted to help struggling friend, both started active drowning
In-Line Stabilization on Land
submerged rescue
Patron lifted victim out of water & alerted lifeguard
mother brought him to steps. other lifeguard carried him up the steps

Lifeguard Rescue Reporting System Summary (2009-2013)

Equipment Used								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	28%	40%	19%	None		28%	23%	20%
	64%	58%	69%	Rescue Tube		70%	78%	79%
	0%	0%	6%	Rescue Buoy		1%	0%	0%
	0%	0%	6%	Throw or Float Line		0%	0%	0%
	0%	0%	6%	Throw Line with Ring Buoy		0%	0%	0%
	0%	0%	0%	Mask, fins and snorkel		0%	0%	0%
	0%	0%	0%	Fins only		0%	0%	1%
	19%	5%	6%	Other		5%	0%	3%

Other Comments for Water Parks: Equipment Used

Backboard (8 with the same answer)

Medical supplies

Other Comments for Pools: Equipment Used

PPE, AED on stand by to use

Back Board (9)

Liftboard

Rescue tube was in hand, but not needed

Whistle Code

Rescue Tube was entangled on Lane Line

AED, rescue mask, gloves

backboard

Others Responding								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
68%	39%	86%	57%	None needed	66%	63%	86%	53%
28%	50%	14%	14%	Additional Lifeguards	34%	33%	11%	42%
9%	6%	0%	14%	Bystanders	8%	6%	5%	4%
20%	31%	0%	21%	Paramedics/EMS	14%	12%	4%	11%
0%	0%	0%	0%	Rescue Squad	2%	1%	2%	0%
0%	3%	0%	0%	Police	5%	2%	0%	4%
2%	6%	0%	0%	Fire	4%	2%	1%	5%
2%	6%	2%	7%	Other	0%	3%	1%	1%

Other Comments for Water Parks: Others Responding

Lifeguard Supervisor

Boy's mother

Parent

Swim instructor (certified lifeguard)

Lifeguard Rescue Reporting System Summary (2009-2013)

Other Comments for Pools: Others Responding

another lady in the class
 Coaching staff
 after lifeguard ran pt into the guard room, where head guard, summand someone to call ems,
 started CPR
 high school teacher teaching student
 Building Staff not lifeguard trained
 on duty supervisor
 Other patrons
 Professional Staff Member, Student Supervisor
 Office Staff
 personal attendant
 facility staff
 Camp counselor
 parent
 Camp counselor

Type of Aid Given

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
74%	51%	91%	69%	None needed	73%	76%	1%	85%
8%	14%	5%	13%	Minor First Aid - Immediate transport to hospital NOT needed	9%	8%	5%	6%
8%	17%	0%	0%	Spinal Injury Management Procedures Used	4%	8%	2%	4%
6%	9%	2%	13%	Personal Protective Barrier Used	6%	6%	2%	5%
	6%	2%	13%	Artificial respiration		4%	1%	1%
5%	9%	0%	6%	CPR administered	6%	3%	1%	5%
5%	3%	0%	6%	AED used	2%	2%	0%	1%
0%	0%	0%	6%	Oxygen Administered	5%	2%	0%	5%
3%	0%	0%	0%	Suctioned Airway	2%	1%	0%	0%
3%	3%	2%	13%	Major First Aid - Immediate transport to hospital needed	5%	6%	2%	3%
8%	9%	2%	0%	Other	5%	6%	3%	0%

Other Comments for Water Parks: Type of Aid Given

Patron refused aid, though spinal injury management appropriate
 Ended up getting stitches
 Back Blow
 Parents took her to ER because she had a large deep cut on her chin

Other Comments for Pools: Type of Aid Given

monitored victim, care for heart attack

Lifeguard Rescue Reporting System Summary (2009-2013)

air ambulance to Level 1 Trauma Center
 Monitoring & Walking assist
 Life-flighted
 for the mind. rest and assurance.
 Back blows - choking
 Assist patron out of water
 victim could feel and wiggle fingers and toes. Direct pressure to cut on head
 Minor first aid was given until Lifeguards were informed that victim may have had a seizure at
 which point EMS was immediately called
 lie down, bend knees, treat for shock....calm student who panicked
 Requested that patron wear a lifejacket.
 Victim began throwing up water and then became lethargic
 check on victim
 to calm the patient down
 Parents counseled on dangers of floatation devices
 Self-indicated diabetic. Glucose administered & monitored
 Transported to the hospital via ambulance
 Transported to hospital
 treat for shock and seizure
 Put on the back board in the water-Deep end
 individual suffered mild M.I. Was alert and breathing when attended by lifeguards
 given ice and glass of cold water
 slapping on back to aid in removing water from lungs
 seizure...held in recovery position
 Called fire rescue. Victim fainted after reaching wall
 Modified H.A.I.N.E.S. position.
 Young man is autistic. He was upset and needed calming.
 only had him cough to clear throat

Injuries to Victim

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
84%	91%	93%	73%	None	86%	86%	97%	94%
5%	0%	5%	0%	Abrasion	5%	4%	1%	3%
3%	3%	2%	13%	Laceration	3%	2%	0%	0%
0%	0%	0%	7%	Burn	0%	0%	0%	0%
0%	0%	0%	0%	Fracture	2%	1%	0%	0%
0%	0%	0%	0%	Paralysis	1%	0%	0%	0%
0%	0%	0%	0%	Death by drowning	0%	1%	0%	1%
0%	0%	0%	0%	Death due to other causes than drowning	1%	1%	0%	0%
13%	9%	0%	7%	Other	9%	7%	2%	4%

Other Comments for Water Parks: Injuries to Victim

swallowed water
 disorientation from grand mal seizure
 EMTs requested that mom take child to Urgent care for further tests
 Trouble breathing/dizziness

Lifeguard Rescue Reporting System Summary (2009-2013)

Other Comments for Pools: Injuries to Victim

Compression of Spinal cord, 2 cervical vertebrae broken, Doctors say potential for full recovery

Severe neck strain

Short Term motor loss & slurred speech

just scared

swollen neck and head

neurological effects

Shoulder dislocation

inhaled water

Shock, Suspected Seizure

Spinal Injury

small bruise

shock

Taken to hospital by EMS, was not given specifics. Patron stayed for 2 days

Brain Problems

Seizure

major concussion, pulled neck muscles

Cramp

victim blacked out but did not breath in water

Injury to back of head.

Suffered heart arrhythmia prior to drowning

Cardiac distress

shock, exhaustion

fracture to her back as she landed on another swimmer

Sudden Illness - Nausea

Contusion

Bump to the back of the head

Large amounts of water swallowed. Near drowning

Suspected HNS Injury

Suspected Head, Neck or Spinal Injury

Minor delayed complications to water ingestion

Fluid on the spine

Lifeguard Rescue Reporting System Summary (2009-2013)

Type of Flotation Device Used by Victim								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
89%	89%	86%	71%	None	86%	92%	97%	80%
2%	3%	95%	7%	Coast Guard approved Personal Flotation Device (PFD)	3%	1%	1%	3%
0%	0%	0%	0%	Non-approved life jacket or similar device	1%	1%	0%	1%
2%	0%	2%	0%	Inflatable raft	1%	1%	0%	1%
0%	0%	0%	7%	Non-inflatable raft	0%	0%	0%	0%
2%	3%	0%	0%	Inflatable Life Ring/Ring Buoy or similar device	0%	0%	0%	3%
0%	0%	0%	0%	Non-inflatable Life Ring/Ring Buoy or similar device	1%	0%	0%	0%
0%	0%	0%	0%	Inflatable Floaties on the victims limbs	3%	1%	0%	0%
	0%	2%	7%	Swim Noodle	0%	2%	1%	8%
0%	6%	0%	7%	Other	4%	2%	2%	5%

Other Comments for Water Parks: Type of Flotation Device Used by victim

Inflatable tube (2)
 Lazy river tube

Other Comments for Pools: Type of Flotation Device Used by victim

n/a
 Instructional Flotation Device
 goggles
 kickboard (6)
 Deep water aqua jogger belt
 Swim belt
 Beach ball

Victim's Outcome								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	28%	19%	36%	Released	34%	41%	49%	23%
	50%	79%	36%	Released to parent	57%	44%	49%	57%
	11%	0%	14%	Ambulance	13%	10%	5%	8%
	14%	2%	7%	Advised to see physician	3%	3%	2%	4%
	6%	0%	7%	Released to another care provider (Police/Fire, etc.)	5%	5%	2%	15%
	8%	2%	0%	Other	2%	8%	1%	4%

Lifeguard Rescue Reporting System Summary (2009-2013)

Other Comments for Water Parks: Victim's Outcome

EMT released to parent while at facility.
EMT decided he did not need to go to the hospital, released to parents
Released back to babysitter
released to daughter

Other Comments for Pools: Victim's Outcome

continued with activities
Air ambulance to Trauma center
Changed floatation size and returned to swim lesson
Counselors took her
Hospitalized
released to camp counselor
survived
Allowed to re-enter water with USCG Approved PFD
Seizure getting out at ladder. Within 3 feet of victim
was a minor and was required to go to the emergency room to be check out.
Fire dept. Released victim on scene after assessing his condition and determining that he had not
had a seizure.
The child finished the lesson and went home with his mother.
Heart Attack Death
talked to Social Worker about early childhood near-drowning incident in Haiti. THREE DAYS LATER,
SWAM ACROSS THE DIVING WELL UN-ASSISTED!
death
released to Scoutmaster
released to group
released to the accompanying group
continued lessons
daycare
released to teacher saw physician at school
Released to camp counselor (2)
Issued a lifejacket
Released to guardian(Camp counselor)
denied further care from EMS due to lack of health insurance
Eventually resuscitated and stabilized
Victim transport to hospital by EMS.
Released to day care provider
Parent was an EMT took over
released to camp counselor
Released to summer camp group
Gave to Head Lifeguard who put victim back in water to prevent trauma
released to camp counselor

Lifeguard Rescue Reporting System Summary (2009-2013)

Primary Rescuer's Level of Current Training								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
100%	97%	100%	94%	Lifesaving/Lifeguarding	100%	99%	99%	99%
75%	92%	95%	88%	CPR or CPR/PR	97%	97%	97%	98%
69%	86%	93%	81%	AED	94%	92%	96%	98%
42%	17%	9%	50%	Oxygen Administration	46%	50%	69%	19%
46%	72%	21%	63%	Blood borne Pathogen training	58%	63%	77%	26%
3%	6%	5%	0%	Emergency Medical Technician	7%	5%	2%	4%
37%	64%	9%	81%	In-Service Training - weekly	30%	25%	11%	59%
39%	22%	84%	6%	In-Service Training - monthly	48%	35%	28%	24%
42%	61%	67%	69%	Site specific training	47%	26%	19%	18%
18%	0%	0%	0%	None	0%	0%	0%	0%
0%	8%	2%	6%	Other	17%	11%	3%	6%

Other Comments for Water Parks: Primary Rescuer's Level of Current Training

LGT instructor
LGI/WSI
in-service bi-monthly

Other Comments for Pools: Primary Rescuer's Level of Current Training

IT
trainer level credentials
LGIT/WSI
LGI (10)
Head guard who initiated CPR was trained in all the above
Registered Nurse (2)
WSI LGI (4)
LGIT (5)
Water and Safety Instructor
Pool Manager, Lifeguard Instructor, Lifeguard over 20 years
Water Safety Instructor, Health Teacher, working in the pool with a second person equally qualified,
CPR Instructor and Instructor Trainer
WSI, WSIT, LGI
first aid
American Red Cross Lifeguard Instructor Trainer
in-service by-weekly
In-service Fall and Winter Semester
US Marine Training/Trainer for water
All Red cross Training
in service training quarterly
fire fighter, advanced diver
every two weeks in-service
guard responded, but parent grabbed child first
Instructor

Lifeguard Rescue Reporting System Summary (2009-2013)

First aid
 In-service training bi-weekly
 In-service training bi-weekly
 I was the secondary lifeguard
 Lifeguard Instructor/Trainer

Where was the Rescuer at the time of incident								
Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
43%	17%	12%	38%	Elevated Stand - 5 feet but less than 10 feet in height	40%	44%	26%	23%
9%	11%	21%	31%	Elevated Stand - less than 5 feet in height	19%	17%	58%	35%
	8%	2%	0%	Enclosed Lifeguard Tower (non-moveable)		1%	0%	3%
4%	6%	2%	0%	Deck Chair	12%	7%	6%	4%
9%	22%	9%	6%	Standing in one place	13%	13%	5%	24%
27%	11%	40%	6%	Walking	16%	15%	7%	13%
0%	0%	0%	0%	Patrolling with Watercraft	1%	0%	0%	1%
9%	25%	14%	19%	Already in the water	5%	4%	1%	4%
3%	11%	2%	0%	Other	1%	4%	0%	4%

Other Comments for Water Parks: Where was the Rescuer at the time of incident

Elevated wall 10ft
 Elevated-3ft walls of wave pool
 Roving
 In guard room filling up water bottle, when alerted
 In the Guard room

Other Comments for Pools: Where was the Rescuer at the time of incident

Giving a guest tour, walking by. Child slipped off step. I stepped a foot in and scooped kid out. Parent out of reach!!!
 In the water alongside victim at time of incident.
 on deck at end of rotation from stand
 On pool deck
 in pool office, notified by patron..
 Staff Shower, an off-duty lifeguard came in to inform me of the incident
 Taking attendance for swim lessons as a pool coordinator
 In water, on deck and in elevated chair for one walking the deck/on duty
 Not on the pool deck. Building lobby.
 On a pool deck on a separate floor of the building
 Roving
 Standing on deck
 going back to LG stand having just warned the youth
 sitting at edge of pool

Lifeguard Rescue Reporting System Summary (2009-2013)

guard office

Distance traveled on land to entry point

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	78%	98%	81%	less than 10 feet		84%	95%	87%
	8%	2%	13%	11 to 20 feet		12%	3%	7%
	8%	0%	6%	21 to 40 feet		2%	2%	4%
	0%	0%	0%	41 to 60 feet		2%	0%	0%
	6%	0%	0%	61 to 100 feet		0%	0%	1%
	0%	0%	0%	> 100 feet		1%	0%	1%

Distance traveled in the water

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	14%	2%	13%	victim on land		5%	2%	4%
	61%	91%	31%	less than 10 feet		73%	85%	64%
	25%	7%	50%	11 to 20 feet		19%	10%	31%
	0%	0%	6%	21 to 40 feet		3%	2%	1%
	0%	0%	0%	41 to 60 feet		1%	0%	0%
	0%	0%	0%	61 to 100 feet		0%	0%	0%
	0%	0%	0%	> 100 feet		0%	0%	0%

Approximate age of the Victim

Water Park				Site	Pool			
2009	2010	2011-12	2013	Year	2009	2010	2011-12	2013
	3%	0%	0%	less than 1		0%	0%	1%
	14%	50%	15%	1 to 4		12%	13%	26%
	56%	31%	85%	5 to 14		66%	70%	62%
	8%	5%	0%	15 to 24		10%	9%	7%
	8%	7%	0%	25 to 44		6%	5%	2%
	6%	5%	0%	45 to 64		5%	1%	0%
	6%	2%	0%	> 64		2%	1%	1%